

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6 MAM Revision
Revision date

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	the substance/mixture and of the company/undertaking
Product name	MAM
	of the substance or mixture and uses advised against
Description	Fertiliser
•	
1.3. Details of the supplier of	·
Company	Metrop Agrotechniek
Address	Edisonweg 32
	240416
	3404LC
	IJsselstein
	Netherlands
Web	www.metrop.net
Telephone	+31 (0)30 6877274
Fax	+31 (0)30 6877423
Email	info@metrop.nl
Local Supplier	
Company	
Address	
Web	
Telephone	
Fax	
Email	
1.4. Emergency telephone n	umber
Emergency telephone	+31 (0)30 6877274
number	09:00-17:00 GMT
SECTION 2: Hazards identific	ration
2.1. Classification of the sub	
2.1.1. Classification -	Xi; R36/37/38
67/548/EEC	Symbols: Xi: Irritant
Main hazards	
	Irritating to eyes, respiratory system and skin.
2.1.2. Classification - EC	Skin irrit.2: H315; Eye irrit. 2: H319; STOT SE 3: H335;
1272/2008	
2.2. Label elements	

Hazard pictograms

Signal Word	Warning
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation
	Eye Irrit. 2: H319 - Causes serious eye irritation
	STOT SE 3: H335 - May cause respiratory irritation.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection
Precautionary Statement:	P302+P352- IF ON SKIN: Wash with plenty of water.
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for bro
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Rei
	lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell
	P321 - Specific treatment (see on this label)
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403 + P233 -Store in a well-ventilated place. Keepcontainer tightly closed.
Storage	P405 - Store locked up
Precautionary Statement:	P501 -Dispose of contents/container to waste collection or recycling, after thorou
Disposal	compliance with local and national regulations

Page 2/6 MAM Revision
Revision date

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No. EC No.		REACH Registration Conc.	
				Number	(%w/w)
Ammonium Nitrate	6484-52-2	229-347-8			20-30 %
Potassium Nitrate	7757-79-1	231-818-8	3		10-20 %
Zinc disodium ethylenediaminetetraacetate (Zinc EDTA)	14025-21-9	237-865-0			1-10 %
Cobalt disodium ethylenediaminetetraacetate (Cobalt EDTA)	15137-09-4	239-198-0			0-0,5 %

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Conc.	
				Number	(%w/w)
Ammonium Nitrate	6484-52-2	229-347-8	3		20-30 %

Potassium Nitrate	7757-79-1	231-818-8	10-20 %	
Zinc disodium	14025-21-9	237-865-0	1-10 %	
ethylenediaminetetraacetate				
(Zinc EDTA)				
Cobalt disodium	15137-09-4	239-198-0	0-0,5 %	
ethylenediaminetetraacetate				
(Cobalt EDTA)				
3.2. Mixtures	Con coction (3.2 for further inform	ation	
SECTION 4. First aid massur		3.2 for further inform	ation.	
SECTION 4: First aid measur 4.1. Description of first aid I				
Inhalation		scniratory system. Inha	lation may cause coughing, tightness of the ch	
IIIIdidiiOII		, , ,		
Evo contact			exposed person to fresh air. Seek medical att	
Eye contact		•	with plenty of water for 15 minutes holding to	
		•	d easy to do. Continue rinsing. Seek medical a	
Cl		mptoms persist.	al Shahat afaaraad aha Baaraa	
Skin contact			ely with plenty of soap and water. Remove co	
			ritation or symptoms persist.	
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or sy			
		ICE VOMITING.		
4.2. Most important sympto		-		
Inhalation		ritation to respiratory	system.	
Eye contact		s eye irritation.		
Skin contact	Causes skin ir			
Ingestion	-	itation to mucous mem		
4.3. Indication of any imme		•		
Inhalation		•	rtness of breath. Seek medical attention if	
E		symptoms persist.	Landa and the land and the same of the sam	
Eye contact			ter for 15 minutes holding the eyelids open. R	
		ent and easy to do. Cor		
Skin contact			ter. Wash with soap and water.	
Ingestion	Caution - subs	stance not yet fully test	ed. May cause irritation to mucous membran	
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
	Carbon dioxid	le (CO2)		
5.2. Special hazards arising	from the substa	nce or mixture		
	Burning prod	duces irritating, toxic ar	nd obnoxious fumes.	
5.3. Advice for firefighters				
	Wear suitabl	e respiratory equipme	nt when necessary.	
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, p		ment and emergency	procedures	
o.z. reisonai precautions, p			vorking area. Wear suitable protective equipm	
6.2. Environmental precauti		ate ventilation of the v	volving area. Wear suitable protective equipm	
o.z. Environmental precaut		nroduct to optor drain	s Prevent further chillago if cafe	
6.2 Mothods and material 4		•	s. Prevent further spillage if safe.	
6.3. Methods and material f			ial Swoon up Transfor to suitable labelled as	
			ial. Sweep up. Transfer to suitable, labelled co	
	uisposai. Cle	an spillage area thorou	ghly with plenty of water.	

Page 3/6	MAM	Revision
		Revision date
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe han	dling	
	Avoid contact with eyes and skin. Ensure adequa	te ventilation of the working are
	best Manual Handling considerations when hand	lling, carrying and dispensing.
7.2. Conditions for safe stora	ge, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep co	ntainers tightly closed. Store in c
	labelled containers.	
SECTION 8: Exposure control	s/personal protection	
8.1. Control parameters	· · · · · · · · · · · · · · · · · · ·	
8.1.1. Exposure Limit Values		
Cobalt disodium	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3
ethylenediaminetetraacetate		
(Cobalt EDTA)		
	WEL 15 min limit ppm:	WEL 15 min limit mg/
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
Dotaccium Nitrata	respirable dust:	respirable dust:
Potassium Nitrate	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3 WEL 15 min limit mg/
	WEL 13 min mint ppin. WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
	inhalable dust	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
	respirable dust:	respirable dust:
Zinc disodium	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3
ethylenediaminetetraacetate		_
(Zinc EDTA)		
	WEL 15 min limit ppm:	WEL 15 min limit mg/
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/
	respirable dust:	respirable dust:
8.2. Exposure controls		
8.2.1. Appropriate	Ensure adequate ventilation of the working area.	
engineering controls		
8.2.2. Individual protection	Wear chemical protective clothing	

 Eye / face protection
 Approved safety goggles

 Skin protection Chemical resistant gloves (pvc)

 Handprotection
 Wear:. Suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Green
odour Mild

Odour threshold No data available

pH 3.5 - 5

Melting point < -1 °C

Initial boiling point > 100 °C

Flash point Not applicable

Evaporation rate No data available

Flammability (solid, gas) No data available

Vapour pressure No data available

Vapour density No data available

Relative density 1.43 - 1.48 (H2O = 1 @ 20 °C)

Partition coefficient
Autoignition temperature
Viscosity
No data available

Explosive properties No data available

Oxidising properties No data available

Solubility Soluble in water

Page 4/6 MAM Revision
Revision date

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic)
compounds)
No data available
No data available
Not determined
Not determined

SECTION 10: Stability and reactivity

10. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	Causes skin irritation
Serious eye damage/irritation	Causes serious eye irritation.

Respiratory or skin	May cause sensitisation by inhalation and skin contact				
sensitisation	, , , , , , , , , , , , , , , , , , , ,				
Germ cell mutagenicity	No data is available on this product.				
Carcinogenicity	No data is available on this product.				
11.1.2. Mixtures					
	No data is available on this product.				
11.1.3. Hazard Information					
	Irritating to eyes and skin.				
11.1.4. Toxicological Information	ation				
Ammonium Nitrate	Dermal Rat LD50: 2950	Oral Rat LD50: 2000			
Cobalt disodium	Oral Rat LD50; 2000				
ethylenediaminetetraacetate					
Potassium Nitrate	Dermal Rat LD50: 2000	Oral Rat LD50: 2000			
Zinc disodium	Inhalation Rat LC50/4 h: 2.75	Oral Rat LD50: 5000 mg/kg			
ethylenediaminetetraacetate					
SECTION 12: Ecological infor	mation				
12.1. Toxicity					
Ammonium Nitrate	Fish LC50/96h: 100 mg/l	Algae LC50/96h: 1700			
Potassium Nitrate	Daphnia EC50/48h: 490.0000 mg/l	Algae IC50/72h: 1700			
	Fish LC50/96h: 1378.0000 mg/l				
	Ammonium Nitrate Not applicable. Zinc Disodium No data available	Potassium Nitrate N			
	Zinc Disodium No data available ethylenediaminetetraacetate				
	Zinc Disodium No data available				
	Zinc Disodium No data available ethylenediaminetetraacetate				
Page 5/6	Zinc Disodium No data available ethylenediaminetetraacetate	nvironment. Revision			
-	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er	nvironment.			
SECTION 13: Disposal consid	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er	nvironment. Revision			
-	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM erations	Revision Revision Revision date			
SECTION 13: Disposal consid General information	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er	Revision Revision Revision date			
SECTION 13: Disposal consid	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM erations Dispose of in compliance with all local and national re	Revision Revision Revision date			
SECTION 13: Disposal consideration General information Disposal methods	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM erations	Revision Revision Revision date			
SECTION 13: Disposal consid General information	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company.	Revision Revision date			
SECTION 13: Disposal consideration General information Disposal methods	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM erations Dispose of in compliance with all local and national re	Revision Revision date			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport information	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers ca	Revision Revision date			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers ca	Revision Revision date gulations. n be sent for disposal or rec			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport infor ADR/RID	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers ca	Revision Revision date gulations. n be sent for disposal or re-			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport information	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers camation The product is not classified as dangerous for care	Revision Revision date gulations. n be sent for disposal or receiving the sent for di			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport infor ADR/RID IMDG	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers ca	Revision Revision date gulations. n be sent for disposal or receiving the sent for di			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport infor ADR/RID	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers camation The product is not classified as dangerous for care The product is not classified as dangerous for care	Revision Revision date gulations. n be sent for disposal or recordinge.			
SECTION 13: Disposal consideration General information Disposal methods Disposal of packaging SECTION 14: Transport infor ADR/RID IMDG	Zinc Disodium No data available ethylenediaminetetraacetate May cause long-term adverse effects in the aquatic er MAM Perations Dispose of in compliance with all local and national re Contact a licensed waste disposal company. Do NOT reuse empty containers. Empty containers camation The product is not classified as dangerous for care	Revision Revision date gulations. n be sent for disposal or rec riage.			

	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory info	rmation
15.1. Safety, health and envi	ronmental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 14 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EE 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 201 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council o Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/
15.2. Chemical safety assess	No data is available on this product.
SECTION 16: Other informati	on
Other information	
Text of risk phrases in Section 3 Text of Hazard Statements in Section 3	R8 - Contact with combustible material may cause fire R9 - Explosive when mixed with combustible material. R36/37/38 - Irritating to eyes, respiratory system and skin. R36/38 - Irritating to eyes and skin R40 - Limited evidence of a carcinogenic effect. Ox. Sol. 1: H271 - May cause fire or explosion; strong oxidiser Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation Ox. Sol. 3: H272 - May intensify fire; oxidiser. Carc. 2: H351 - Suspected of causing cancer .
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the sa storage and handling of the product. This information is correct to the best of our knowledges of the product

The information supplied in this Safety Data Sheet is designed only as guidance for the sa storage and handling of the product. This information is correct to the best of our knowled belief at the date of publication however no guarantee is made to its accuracy. This infor relates only to the specific material designated and may not be valid for such material us combination with any other materials or in any other process.

Page 6/6 MAM Revision
Revision date

1-12-2015

eathing.

move contact

gh rinsing, if in

1 1-12-2015

Classification

O; R8-9 Xi; R36/37/38

O; R8

Xn; R40 Xi; R36/38

Classification

Ox. Sol. 1: H271; Skin Irrit. 2:

H315; Eye Irrit. 2: H319;

STOT SE 3: H335 Ox. Sol. 3: H272;
O.X. 30.1. 31. 112.72,
Skin Irrit. 2: H315
Eye Irrit. 2:
H319; Carc. 2: H351;
est and irritation
ention. ne eyelids open
ittention if
ntaminated
mptoms persist.
emove contact
es.
ent.
ontainers for

1 1-12-2015
a. Adopt
correctly
3: 0.1
m3:
m3 total -
m3 total -
3: 20.8
m3: 10 m3 total -
mo total
m3 total -
3: 10
m3: 3
m3 total -
m3 total -

1 1-12-2015

1	
9	
)	
.0000 mg/l	
Not applicable	
1	
1-12-2015	
cycling.	

on of 45/EC 88/94

c, 0

n the

a

ation

EC.

afe use, edge and mation ed in

> 1 1-12-2015